



Cordless Power Tools

Power Tools

Accessories



C.WOERMANN (GHANA) LIMITED | P.O.Box 1779 ACCRA | Nsawam Road / Avenor Junction | Tel. +233 (302) 22 51 41
info@woermann-ghana.com | www.woermann-ghana.com | P.O.Box 1958 KUMASI | Lake Road | Tel. +233 (3220) 3 75 97

MAKITA PROFESSIONAL POWER TOOLS AND ACCESSORIES

Tradition + Innovation + Experience + Know How = Makita Tools + C. Woermann Ghana

We are glad to inform you, our esteemed partners and customers, about the arrival of our new and comprehensive range of these fantastic tools. For sure these superb products will meet the high expectations of our professional customers.

Craftsmen, fabricators, mechanical workers, welders, carpenters, construction specialists and many other users now have the chance to enjoy the well functioning, durable and ergonomically designed **MAKITA** electrical power tools in their daily work for virtually all imaginable applications of working in metal, wood or concrete.

You are cordially invited to take advantage of the new co-operation between **MAKITA** Corporation Japan and C. Woermann Ghana Limited and discover with us the wonderful world of **MAKITA** tools!

COMBINED EXPERIENCE

MAKITA Corporation manufactures high quality electrical power tools in their own factories located all over the world for more than 100 years! They have managed to get large market shares on all continents and belong to the largest and most experienced tool makers worldwide.

We now co-operate in Ghana where C. Woermann operates for more than 50 years with a strong focus on machinery and tools.

Please challenge us and make use of our acknowledged pre- and after-sales service enabling you to complete your jobs with great success.

We endeavour to keep available for you at least 90 % of the assortment shown in this catalogue at all times. Should an item not be available, we shall offer suitable alternatives – just let us know your needs!



C.WOERMANN (GHANA) LIMITED | P.O.Box 1779 ACCRA | Nsawam Road / Avenor Junction | Tel. +233 (302) 22 51 41
info@woermann-ghana.com | www.woermann-ghana.com | P.O.Box 1958 KUMASI | Lake Road | Tel. +233 (3220) 3 75 97



Makita Cordless Power Tools

Drills & Driver Drills	4
Hammer Drills, Rotary & Combination Hammers	4
Impact Drivers, Wrenches & More	5
Measuring Tools	5



Makita Power Tools

Rotary & Combination Hammers	6
Demolition Hammers	7
Angle Grinders & Polishers	8
Impact Drilling Machines	9
Screw Drivers	9
Wrenches	9
Metalworking & Other Workshop Tools	10
Saws	11
Woodworking Tools	12



Makita Accessories

Accessories for Cutting & Grinding	13
Bits for Rotary & Demolition Hammers	14
Bits for Impact Drills & Drilling Machines	15
Diamond Cutting & Stone Polishing	16
Saw Blades for Wood & Metal	17
Woodworking Accessories	18
System Accessories	19



Makita Cordless Power Tools

Makita lithium-ion cordless tools enjoy a unique reputation among users worldwide for their performance, lightness and durability.

Cordless Drills & Driver Drills



Cordless Drill 18 V DDF480RMJ

13 mm, 18 V, 2-speed, compact tool size, 13 mm (1/2"), 38 mm in wood (1 1/2"), brushless DC motor, enhanced dust and drip-proof design, battery fuel gauge, LED job light, 2x battery 4.0 Ah BL1840, fast charger DC18RC, case, 1.5 kg

MAKDDF480RMJ



Cordless Drill 18 V DDF482RAE

13 mm, 18 V, 2-speed, compact and lightweight, high speed, newly designed ergonomic handle, 13 mm (1/2"), 38 mm in wood (1-1/2"), twin LED job light, 2x battery 2.0 Ah BL1820B, fast charger DC18RC, case, 1.5 kg

MAKDDF482RAE



Cordless Drill 18 V DDF482RME

13 mm, 18 V, 2-speed, compact and lightweight, high speed, newly designed ergonomic handle, 13 mm (1/2"), 38 mm in wood (1-1/2"), twin LED job light, x battery 4.0 Ah BL1840 & fast charger DC18RC, case, 1.5 kg

MAKDDF482RME



Cordless Driver Drill 10.8 V DF331DWYE

10 mm, keyless, 10.8 V, 2-speed, increased motor power for higher application speed and max tightening torque, 10 mm (3/8"), 21 mm in wood (13/16"), single LED job light, 2x battery 1.5 Ah & charger, case, 1.1 kg

MAKDF331DWYE



Hammer Drills, Rotary & Combination Hammers



Cordless Hammer Drill 18 V DHP480RMJ

2-speed, superior class, compact tool size, high power brushless DC motor, 13 mm (1/2") in concrete, 38 mm in wood (1-1/2"), LED job light, 2x battery 4.0 Ah BL1840, charger DC18RC, case, 1.5 kg


MAKDHP480RMJ



Cordless Combination Hammer 18 V DHR242RFE

SDS-Plus, 24 mm in concrete (15/16"), 3 operation modes, brushless DC motor, 2x battery 3.0 Ah, fast charger, case, 3.1 kg

MAKDHR242RFE



Cordless Combination Hammer 18 V DHR243RFE

SDS-Plus, 24 mm in concrete (15/16"), 3 operation modes, quick change drill chuck, brushless DC motor, 2x battery 3.0Ah, fast charger, case, 3.1 kg

MAKDHR243RFE



Cordless Combination Hammer 18 V DHR243RMJ

SDS-plus, 24 mm in concrete (15/16"), 3 operation modes, quick change drill chuck, 2x battery 4.0 Ah BL1840, fast charger DC18RC, case, 3.1 kg

MAKDHR243RMJ



Lithium-Ion Battery Packs

With Battery Fuel Gauge

3.0 Ah, 18 V, BL1830B MAK 197599-5
5.0 Ah, 18 V, BL1850B MAK 197280-8
2.0 Ah, 10.8 V, BL1020B MAK 197394-3

Without Fuel Gauge

1.5 Ah, 18 V, BL1815 MAK 194513-2
1.5 Ah, 10.8 V, BL1015 MAK 197390-1

Battery Chargers

18 V, DC18RC MAK 195584-2
10.8 V, DC10SA MAK 197347-2



Weight in kg refers to the net weight of the machine only.

Cordless Impact Drivers, Wrenches & More



Cordless Impact Driver 18 V DTD146RFE

18 V, lightweight 4 pole motor, 1/4" hex drive, max torque: 160 Nm, standard bolt M5 to M14, one touch bit change, LED job light, 2x batteries 3.0 AH, charger, case, 1.5 kg

MAKDTD146RFE



Cordless Impact Driver 18 V DTD152RAE

18 V, compact and lightweight design, 1/4" hex drive, max torque: 165 Nm, standard bolt M5 to M16, 4 pole motor, twin LED job light, 2x batteries 2.0 Ah, charger, case, 1.3 kg

MAKDTD152RAE



Cordless Impact Wrench 18 V DTW190RFE

1/2" (12.7mm), 18 V, compact and light weight, max. torque: 190 Nm, standard bolt M8 to M16, LED job light, 2x batteries 3.0 Ah, charger, case

MAKDTW190RFE



Cordless Impact Wrench 18 V DTW251RFE

1/2" (12.7 mm), 18 V, high power, provides more control and manoeuvrability, max. torque: 230 Nm, standard bolt M10 to M16, LED job light, 2x batteries 3.0 Ah, charger, case

MAKDTW251RFE



Cordless Job Site Radio 7.2–18 V DMR102

7.2–18 V, AC 230 V adapter, FM: 87.5–108 mHz, AM: 522–1629 kHz, digital tuner, twin speaker, timer, **without battery & charger**, 4.7 kg

MAKDMR102



Measuring Tools

Higher visibility of laser beam than other models in the market, highest precision standard

Laser Distance Meter 40 m LD050P

0.05–40 m, compact, handy and accurate, IP54, with Alkaline batteries, carrying strap and target plate

MAKLD050P



Laser Distance Meter 80 m LD080PI

0.05–80 m, compact, handy and accurate, inclination sensor, IP54, with Alkaline batteries, carrying strap and target plate

MAKLD080PI



Makita Rotary & Combination Hammers

Let the machine do the work! Thanks to the pneumatic hammer, these tools offer you comfort and speed when working in masonry and concrete.



All Makita hammers on this page come in a robust carrying case !

SDS-Plus

Rotary Hammer 710 W HR2230

SDS-Plus, 2-mode, 22 mm in concrete, 710 W, 2.3 joule, 2.6 kg

MAKHR2230



Combination Hammer 780 W HR2470

SDS-Plus, 3-mode, 24 mm in concrete, 780 W, 2.7 joule, 3 kg

MAKHR2470



Combination Hammers 800 W HR2631FT, HR2631FTSP

SDS-Plus AVT, 3-mode, 26 mm in concrete, 800 W, 2.9 joule, 3.1 kg with quick change drill chuck

MAKHR2631FTSP with bit set
MAKHR2631FTSP without bit set



2-mode function

Rotation and rotation with hammering

3-mode function

Chiselling, rotation and rotation with hammering

Combination Hammer 800 W HR2810

SDS-Plus AVT, 3-mode, 28 mm in concrete, 800 W, 2.9 joule, 3.2 kg

MAKHR2810



Combination Hammer 850 W HR3200C

SDS-Plus, 3-mode, 32 mm in concrete, 850 W, 5.5 joule, 4.8 kg

MAKHR3200C



SDS-Max

Combination Hammer 850 W HR3541FC

SDS-Max AVT, 3-mode, constant speed and soft start, LED job light, 35 mm in concrete, 850 W, 6.3 joule, 6.3 kg

MAKHR3541FC



Rotary Hammer 1100 W HR4001C

SDS-Max, 2-mode, 40 mm in concrete, 1100 W, 9.5 joule, 6.4 kg

MAKHR4001C



Rotary Hammer 1100 W HR4013C

SDS-Max AVT, 2-mode, soft no-load function, 40 mm in concrete, 1100 W, 11.4 joule, 6.8 kg

MAKHR4013C



2-mode function

Chiselling, rotation with hammering

3-mode function

Chiselling, rotation, rotation with hammering function

Rotary Hammer 1350 W HR4511C

SDS-Max AVT, 2-mode, soft start, no-load function, 45 mm in concrete, 1350 W, 11.4 joule, 8.5 kg

MAKHR4511C



Combination Hammer 1510 W HR5202C

SDS-Max, 2-mode, 52 mm in concrete, 1510 W, 21 joule, 10.9 kg

MAKHR5202C



Accessories for
Hammers
see page 14

Makita Demolition Hammers

Robust and long lasting specialised tools – the right choice for removing tiles, walls, parts of a foundation etc.

SDS-Max



Demolition Hammer 1100 W HM0871C

SDS-Max AVT, soft start,
1100 W, 11.6 joule,
5.6 kg

MAKHM0871C



Combination Hammer 1510 W HM1203C

SDS-Max, electronic speed
control, 1510 W, 25.5 Joule,
9.7 kg

MAKHM1203C



SDS-Max Accessories (see also page 14)

Pointed Chisel

300 mm MAK D-34176

400 mm MAK D-34182

Flat Chisel

25 x 400 mm MAK D-34213

Scaling Chisel

50 x 400 mm MAK D-34235

Hex

Demolition Breaker 1500 W HM1304B

28.6 mm Hex, 1500 W, 27.5 Joule, 16 kg

MAKHM1304B



Hex Accessories (see also page 14)

Pointed Chisel

410 mm, 28.6 mm for HM1801,1802 and 1812 MAK D-17631

410 mm, 30 mm MAK D-15285

Flat Chisel

410 mm, 28.6 mm for HM 1801,1802 and 1812 MAK D-17647

36 x 410 mm, 30 mm MAK D-15300

Highest in-class demolition power

Electric Breaker 2000 W HM1812

28.6 mm Hex; AVT counter weight
mechanism and vibration absorbing
housing reduces vibration; additional
AV effect comes from the suppression of
motor speed when idling; soft start;
2000 W, 62 Joule, 29.4 kg

MAKHM1812



Electric Breaker 2000 W HM1802

28.6 mm Hex, 2000 W, 62 Joule, 29.4 kg

MAKHM1802



Makita Angle Grinders & Polishers

When it comes to angle grinders it is hard to find a better tool than Makita: all grinders are so robust, safe to use and long lasting.

Angle Grinder 4 1/2" 840 W 9557HN

115 mm, 840 W, high performance motor with sufficient power for masonry cutting, high heat resistance, 2.0 kg

MAK9557HN



Angle Grinder 4 1/2" 1100 W 9564HZ

115 mm, 1100 W, high power anti-dust motor, super joint system, labyrinth construction protecting motor and bearings from contamination, 1.8 kg

MAK9564HZ



Angle Grinder 5" 840 W 9558HN

125 mm, 840 W, high performance motor with sufficient power for masonry cutting and high heat resistance, 2.0 kg

MAK9558HN



Angle Grinder 5" 1100 W 9565HR

125 mm, 1100 W, anti-restart function, high power anti-dust motor, tool-less wheel cover, labyrinth construction protecting motor and bearings from contamination, 2.3 kg

MAK9565HR



Angle Grinder 5" 1100 W 9565HZ

125 mm, 1100 W, high power anti-dust motor, super joint system, labyrinth construction protecting motor and bearings from contamination, 1.8 kg

MAK9565HZ



Angle Grinder 5" 1400 W 9565CV

125 mm, 1400 W, high power anti-dust motor, super joint system, labyrinth construction protecting motor and bearings from contamination, tool-less quick guard adjustment, automatic brush cut-off, electronic speed control, soft start, 2.4 kg

MAK9565CV



Angle Grinder 5" 1400 W 9565CVR

125 mm, 1400 W, similar to 9565CV but with anti-restart function, 2.2 kg

MAK9565CVR



Angle Grinder 7" 2200 W GA7020

180 mm, 2200 W, powerful motor, outstanding durability, increased heat resistance, superior anti-dust structure, machined bevel gear, soft grip, gear housing adjustable at every 90°, 4.7 kg

MAKGA7020



Angle Grinder 7" 2400 W GA7030

180 mm, 2400 W, continuous rated output heavy duty motor, outstanding durability, increased heat resistance, superior anti-dust structure, machined bevel gear, soft grip, gear housing adjustable at every 90°, low vibration rotatable gear handle, 5.1 kg

MAKGA7030



Angle Grinder 7" 2600 W GA7040S

180 mm, 2600 W, continuous rated output heavy duty motor, outstanding durability, soft start, increased heat resistance, superior anti-dust structure, machined bevel gear, low vibration, rotatable rear handle with soft grip for more comfort and control, gear housing adjustable at every 90°, 5.5 kg

MAKGA7040S



Angle Grinder 7" 2600 W GA7060

180 mm, 2600 W, for heavy duty applications such as foundry grinding, extremely durable motor and rigid motor housing, special protection of electrical system, 5.3 kg

MAKGA7060



Angle Grinder 9" 2200 W GA9020

230 mm, 2200 W, powerful motor, outstanding durability, increased heat resistance, superior anti-dust structure, machined bevel gear, soft grip, gear housing adjustable at every 90°, 5.8 kg

MAKGA9020



Angle Grinder 9" 2400 W GA9030

230 mm, 2400 W, continuous rated output heavy duty motor, outstanding durability, increased heat resistance, superior anti-dust structure, machined bevel gear, soft grip, gear housing adjustable at every 90°, low vibration rotatable gear handle, 6.3 kg

MAKGA9030



Angle Grinder 9" 2600 W GA9040S

230 mm, 2600 W, continuous rated output heavy duty motor, outstanding durability, soft start, increased heat resistance, superior anti-dust structure, machined bevel gear, low vibration, rotatable rear handle with soft grip for more comfort and control, gear housing adjustable at every 90°, 6.7 kg

MAKGA9040S



Sander-Polisher 7" 1200 W 9237CB

180 mm, 1200 W, 0-3200 rpm, loop handle with rubberised soft grip, variable speed control by dial rotation speed adjustable to application, vent dust cover of screw-down type prevents from ingress of wool fibres, elastomer bumper on gear housing protects the surface of the work piece from damages and scratches, 3.4 kg

MAK9237CB



Cut-off Saw 14" 2000 W 2414NB

355 mm, 2000 W, 3800 rpm, D-shape handle for easy gripping, spark diversion guard, adjustable guide plate 45° right and left at 3 locations, quick release vise for secure retention and fast, repeated cut-offs, adjustable depth stop for precise, repeatable cutting depth, 16.2 kg

MAK2414NB



Accessories for Grinders
see pages 13,16,19

Makita Impact Drilling Machines

Hammer Drill 710 W HP1630K

Rotation with percussion or rotation only, left-right operation, 710 W, 16 mm in concrete, 13 mm in steel, 30 mm in wood, plastic case, keyed chuck, 2.1 kg

MAKHP1630K



2-Speed Hammer Drill 720 W HP2050

720 W, compact body with durable metal gear housing, extra low vibration level, rotation with percussion or rotation only, left-right operation, built-in torque limiter stops bit rotation when hitting re-bar, 20 mm in concrete, 13 mm in steel, 40 mm in wood, plastic case, industrial type keyed chuck, 2.3 kg

MAKHP2050



2-Speed Hammer Drill 1010 W HP2070

2-speed hammer drill, 1010 W, compact body with durable metal gear housing, rotation with percussion or rotation only, left-right operation, built-in torque limiter stops bit rotation when hitting re-bar, 20 mm in concrete, 16 mm in steel, 40 mm in wood, plastic case, industrial type keyed chuck, 2.4 kg

MAKHP2070



Makita Screw Drivers

Dry-Wall Screw Driver 570 W FS2700

570 W, dry wall screw: max. 6 mm, self-drilling screw max. 6 mm, 1/4" shank (6.35 mm), 0-2500 rpm, 6-stage torque adjustment for a wide range of applications, best possible tool body for screw driving, easy to bring pressure in line with centre of driving bit axis, bit holder and locator holder are provided, one touch locator, built-in job light, durable belt clip, 1.8 kg

MAKFS2700



Dry-Wall Screw Driver 570 W FS4300

570 W, dry wall screw: max. 5 mm, self-drilling screw max. 6 mm, 1/4" shank (6.35 mm), 0-4000 rpm, silent clutch for quiet operation, best possible tool body for screw driving, easy to bring pressure in line with centre of driving bit axis, bit holder and locator holder are provided, one touch locator, built-in job light, durable belt clip, 1.3 kg

MAKFS4300



Makita Wrenches

Impact Wrench 1/2" 400 W TW0350

12.7 mm, 400 W, 350 Nm, left-right operation, rocker type switch for easy forward or reverse operation, for standard bolts: from M12-M22, high tensile bolt M12-M16, 2000 impacts/minute, idle speed 2.000 rpm, externally accessible carbon brushes for easy maintenance, plastic case, 2.9 kg

MAKTW0350



Impact Wrench 3/4" 850 W 6906

19 mm, with extremely powerful 588 Nm for super-duty applications, rocker type reversing switch for easy, one-handed forward or reverse operation, side handle adjustable to 360° for convenient operation at any angle, externally accessible carbon brushes for easy maintenance, 850 W, with plastic case, 8.6 kg

MAK6906



Impact Wrench 1" 1200 W TW1000

25.4 mm, 1200 W, 1000 Nm, left-right operation, rocker switch for easy reversing, rubber bumper for tool body protection, standard bolts: from M24-M30, high tensile bolts M22-M24, idle speed 1.400 rpm, plastic case, 8.4 kg

MAKTW1000



Accessories

(see also pages 15 and 19)

Magnetic hex. nut setter

6 mm, shaft: 1/4", M3.5, length: 50 mm, 1pc. MAK B-38691

8 mm, shaft: 1/4", M5, length: 50 mm, 1pc. MAK B-38716

10 mm, shaft: 1/4", M6, length: 50 mm, 1pc. MAK B-38722

12 mm, shaft: 1/4", M8, length: 50 mm, 1pc. MAK B-38738

Set of 6, 8, 10, 12, 13 mm, shaft: 1/4", length: 50 mm MAK B-39154

Accessories
see pages 15 and 19

Makita Metalworking & Other Workshop Tools

There are so many more versatile tools available; here are the mostly needed ones: all are made according to highest standards for work safety, preciseness and durability.

Bench Grinder 6" 250 W GB602W

150 mm, comes with special sharpening wheel & holder, 2 bulbs for easy working, eye shield protection glasses, 2850 rpm, 250 W, 9.0 kg

MAKGB602W



Bench Grinder 8" 550 W GB801

205 mm, balance weight installed, 2 bulbs for easy working, eye shield protection glasses, 2850 rpm, 550 W, 19.8 kg

MAKGB801



Straight (Die) Grinder 1/4" 400 W GD0602

6 mm, anti-slip rubber cover for easy handling, round-shaped collet nut reduces risk of damaging work pieces, switch lever convenient for one-hand operation; vent slots designed for direct exhaust on the opposite side of the operator, high heat resistance, 400 W, 1.4 kg

MAKGD0602



Straight (Die) Grinder 1/4" 750 W GD0800C

8 mm, high-speed: 7000–28000 rpm, ergonomically designed slim body for working in narrow areas, internal labyrinth construction seals motor and bearings from contamination, side handle (option) attachable, for collets of 3, 6 or 8 mm, wheel diameter 25 mm, 750 W, 1.7 kg

MAKGD0800C



Tile Cutter 4 3/8" 1200 W 4100NH

110 mm, for cutting stone, tiles, concrete and masonry of max. 34 mm thickness, with water cooling system, adjustable water flow, usable with dry or wet type cutting wheels, idle speed 13000 rpm, 1200 W, 2.9 kg

MAK4100NH



Heat Gun 1400 W HG5010

With adjustable temperature from 300 to 500 °C, 2 step air flow from 240 l to 450 litre/min, 1400 W, 0.550 kg

MAKHG5010



Concrete Planer 5" 1400 W PC5000C

125 mm, capable of planing flush to corners, powerful 1400 W motor with anti-restart function, electric current limiter protects motor from overload, incl. offset diamond wheel, dust bag assembly, brush set, plastic case, 4.0 kg

MAKPC5000C



Blower 600 W UB1103

High output volume 0-4.1 m³/min, variable speed control, dust bag available as an option, operation free from static electricity, 600 W, 2.0 kg


MAKUB1103



Mixer 850 W UT2204

Heavy duty, high speed, rear handle with soft rubber grip, ergonomically designed for comfortable operation, dust cover protecting motor and transmission parts efficiently, 850 W, blade diameter 220 mm, idle speed 550 rpm, 3.3 kg

MAKUT2204



Vacuum Cleaner 1050 W VC3210LX1

32 litres, 1050 W, dry & wet for professional use, stainless steel tank, for wet operation: pre-filter MAK195611-5 required (option), 14.5 kg

MAKVC3210LX1



Accessories
see pages 16 and 19

Makita Saws

A favourite discipline of Makita Tools: all saws are of highest quality and durability. Even extra large saws are part of our range: who else can offer a 13 1/8" or a 14" circular saw ?

Jig Saw 450 W 4326

65 mm (2 9/16") in wood, 6 mm in steel, ergonomically designed handle with soft grip, dust cover prevents scattering of fragments, bevel cut 0–45° left and right, 450 W, 1.9 kg

MAK4326



Jig Saw 720 W 4350CT

135 mm (5 5/16") in wood, 10 mm in steel, tool-less blade change system (with electronic control and speed dial), ergonomically designed handle with soft grip, 3 orbital settings (pendulum action) plus straight cut, electronic speed control maintains consistent speed set for various work pieces, low vibration, bevel cut 0–45° left and right, 720 W, 800–2800 strokes/min, LED job light, comes with jig saw blade set, hex wrench, cover plate, anti-splintering device, plastic case, 2.6 kg

MAKG0800C

Try it! You will not find a better jig saw in this class!



Circular Saw 1750 W 5103N

335 mm (13 1/8"), sturdy and rugged, 1750 W, idle speed 2900 rpm, chip exhausting outlet at the rear side, gripping angle of handle changed for easier operation, cutting capacity 128 mm (5") at 90° and 91 mm (3 5/8") at 45°, comes with combination saw blade, hex wrench, rip fence (guide rule), 14.6 kg

MAK5103N



Circular Saw 2200 W 5143R

355 mm (14"), 30 mm bore, efficient saw dust ejection, with anti kickback riving knife, 2 parallel gauges for fixing material securely, stepped top guide on front and rear of the base, safety cover with roller for smooth feeding of material, 2200 W, idle speed 2700 rpm, cutting capacity 130 mm (5 1/8") at 90° and 90 mm (3 1/2") at 45°, comes with carbide tipped saw blade, hex wrench, rip fence (guide rule), 14.0 kg

MAK5143R



Circular Saw 5" 1050 W 5806B

185 mm (7 1/4"), powerful 1050 W motor for smooth heavy duty cutting, well balanced body, ergonomically designed handle for comfortable operation, idle speed 5200 rpm, cutting capacity 66 mm (2 5/8") at 90° and 44 mm (1 11/16") at 45°, comes with carbide tipped saw blade, hex wrench, rip fence (guide rule), 3.4 kg

MAK5806B



Circular Saw 2000 W N5900B

235 mm (9 1/4"), in industrial standard, steel safety cover in industrial quality, bevel cuts up to 50°, flat-end motor housing for easy blade change, 2000 W, idle speed 3800 rpm, max. cutting capacity 85 mm (3 3/8") at 90° and 60 mm (2 3/8") at 45°, carbide steel saw blade, wrench, rip fence (guide rule), 6.8 kg

MAKN5900B



Makita's Best Selling Model

Band Saw 900 W LB1200F

With 305 mm (12") throat, thickness of cut 165 mm (6 1/2"), 900 W, 2-speed, easy replacement of saw blade, dust box, LED job light, easy moving with casters, comes with band saw blades, rip fence, angle rule, push stick, nozzle 93, hex wrench, 81.2 kg

MAKLB1200F



Slide Compound Mitre Saw 1430 W LS1018L

255 mm (10"), bevel cutting 45° left and right, laser light, ergonomically designed rubberised soft grip provides more control and comfort, 1430 W, cutting capacity 91 x 305 mm at 90° and 91 x 215 mm at 45°, idle speed 4300 rpm, with TCT saw, vertical vise, socket wrench, triangular rule, dust bag, holder assembly, 20.6 kg

MAKLS1018L



Slide Compound Mitre Saw 1650 W LS1216L

305 mm (12"), available for cutting 203 mm (8") crown moulding leaning against fence, available for cutting 165 mm (6 1/2") base board with standing, sturdy structure by using 4 side poles, smooth and accurate cut by 6 liner ball bearings, laser marker allows easy and accurate alignment with ink line, even in bevel cutting or cutting in decorative timber, bevel cutting 45° left and right, ergonomically designed rubberized soft grip provides more control and comfort, 1650 W, cutting capacity 107 x 363 mm at 90° and 107 x 255 mm at 45°, idle speed 3200 rpm, with TCT saw blade, vertical vise, socket wrench, triangular rule, dust bag, holder assembly, 26.6 kg

MAKLS1216L



Table Saw 10" 1500 W MLT100

255 mm, 1500 W, cutting capacity 91 mm (90°) and 63 mm (45°), idle speed 4300 rpm, with sliding left extension table enabling higher cutting capacity and more preciseness, safety guard, on-tool storage for accessories, comes with carbide tipped saw blade, rip fence, mitre gauge, wrenches, push-stick and triangular rule, 34.1 kg

MAKMLT100



Table Saw 10" 1650 W 2704

255 mm, 1650 W, cutting capacity 91 mm (90°) and 63 mm (45°), idle speed 4800 rpm, rip fence with very smooth sliding movement and high accuracy, 4" x 8" wood ripping possible with telescopic sub table, on-tool storage for accessories, comes with carbide tipped saw blade, rip fence, mitre gauge, wrenches, push-stick and ring, 34.9 kg

MAK2704



Makita Woodworking Tools

These machines made by Makita are famous all over the globe – unique in their size and quality. You will enjoy using these wonderful tools!

Power Planer 1140 W 1805N

155 mm (6 1/8"), rugged aluminium housing and easy depth settings, 155 mm plan width and 2 mm depth in a single path, idle speed 15000 rpm, precision machined aluminium base for planing accuracy, 1140 W, sharpening holder assembly, blade gauge assembly, socket wrench, planer blade, 8.2 kg

MAK1805N



Power Planer 1650 W 2012NB

304 mm (12"), unique feeding mechanism for smooth finish with minimal snip on stock, 4-post design and diagonal cross supports for stability, 1650 W, idle speed 8500 rpm socket wrench, hex wrench, magnetic holder x 2, 28.1 kg

MAK2012NB



Finishing Sander 330 W BO4900

115 x 229 mm, 330 W, 10.000 orbits per minute, large clamp lever for easy fixing/removal of paper, easily hooks up to a vacuum hose for superior dust collection, integrated through-pad dust collection system, hook and loop type backing pad, abrasive paper, dust bag, dust bag holder, 2.7 kg

MAKBO4900



Random Orbit Sander 300 W BO5030

125 mm, powerful 300 W, 12000 orbits per minute, rubberised ergonomically designed top-cover, rubber switch cover prevents machine from ingress of dust, convenient pad brake for fast stop, abrasive disc, dust bag, 1.3 kg

MAKBO5030



Router 900 W RP0900

6 mm (1/4"), 8 mm (3/8"), 900 W, 27000 rpm, plunge type, 0-35 mm (0-1 1/8") plunge depth capacity with 3 adjustable depth stops for repetitive depth routing, scale level for adjusting the depth of routing, straight guide, straight bit, collet cone x 2, wrenches, 2.7 kg

MAKRP0900



Router 2300 W RP2300FC

12 mm (1/2"), 2300 W, 9000-22000 rpm, plunge type, 0-70 mm (0-2 3/4") plunge depth capacity, precise cutting depth adjustments, ergonomically designed knob style handles, twin LED job lights with afterglow function, linear ball bearing for super smooth plunge action, increased durability through use of larger size ball bearing on the drive end of armature, labyrinth type retainers and fan, straight guide, collet cone, wrench, screw M6x135, 6.1 kg

MAKRP2300FC



Belt Sander 1200 W 9403

100 mm, powerful 1200 W motor for high production use, quietest belt sander in its class, belt speed 500 m/min, belt size 100 x 610 mm, with abrasive belt, dust bag assembly, 5.7 kg

MAK9403



Weight in kg refers to the net weight of the machine only.



Accessories for Cutting & Grinding

First class Makita accessories for high precision and utmost performance – safe to use!

Cut-off Wheels



For Steel (Depressed Centre)

A30S

115 x 3 x 22 mm MAK D-18568
125 x 3 x 22 mm MAK D-18574
180 x 3 x 22 mm MAK D-18580
230 x 3 x 22 mm MAK D-18596

A36P

355 x 3 x 25.4 mm, 25 pcs/set MAK A-87672

A30T

125 x 3 x 22 mm MAK A-83602



For Stainless Steel (Straight Centre)

WA36R

230 x 2 x 22 mm MAK D-18792

WA60T

115 x 1.2 x 22 mm MAK D-18764
125 x 1.2 x 22 mm MAK D-18770

Grinding Wheels



For Steel (Depressed Centre)

A24R

115 x 6 x 22 mm MAK D-18459
230 x 6 x 22 mm MAK D-18487

A36P

115 x 6 x 22 mm MAK A-80927
125 x 6 x 22 mm MAK A-80933
180 x 6 x 22 mm MAK A-80949
230 x 6 x 22 mm MAK A-80955

Flap Discs



For Steel

115 mm

A40 MAK D-27034
A60 MAK D-27040
A80 MAK D-27056

Cup Brush



Crimped Steel Wire, 0.3 mm

75 mm x M14, crimped MAK D-24094



Bits for Rotary & Demolition Hammers

SDS-Plus

SDS-Plus Bits Nemesis

The real problem solver! Drilling into reinforced concrete and hard natural stone is no longer an obstacle. Precision drilling is easy due to the perfect geometry of the NEMESIS bits. Optimized flute core strength ensures low vibration drilling and exceptional fraction resistance. The high volume flute geometry ensures optimized removal of dust.

Single Drill Bits

6 x 160 mm MAK B-11673	10 x 210 mm MAK B-11835
6 x 210 mm MAK B-11689	10 x 310 mm MAK B-11857
6 x 260 mm MAK B-11695	12 x 210 mm MAK B-11885
7 x 160 mm MAK B-11760	12 x 310 mm MAK B-11900
8 x 160 mm MAK B-11782	14 x 160 mm MAK B-11922
8 x 210 mm MAK B-11798	14 x 210 mm MAK B-11938
8 x 260 mm MAK B-11807	14 x 450 mm MAK B-11950
10 x 160 mm MAK B-11829	

Drill Bit Sets

5/6/8 x 110 mm, 6/8/10/12 x 160 mm MAK B-12027

SDS-Plus Bits

Single Drill Bits

5 x 110 mm MAK D-00022	10 x 310 mm MAK D-00206	18 x 210 mm MAK D-00321
6 x 210 mm MAK D-00072	11 x 160 mm MAK D-00212	18 x 300 mm MAK D-00337
7 x 160 mm MAK D-00119	12 x 160 mm MAK D-00228	20 x 210 mm MAK D-00359
8 x 160 mm MAK D-00131	12 x 210 mm MAK D-00234	20 x 310 mm MAK D-00365
8 x 210 mm MAK D-00147	12 x 260 mm MAK D-00240	22 x 260 mm MAK D-00371
8 x 260 mm MAK D-00153	14 x 160 mm MAK D-00262	25 x 260 mm MAK D-00387
10 x 160 mm MAK D-00175	14 x 260 mm MAK D-00278	26 x 260 mm MAK D-00393
10 x 210 mm MAK D-00181	16 x 210 mm MAK D-00290	
10 x 260 mm MAK D-00197	16 x 310 mm MAK D-00309	

Drill Bit Sets

14 pieces, in solid alu case, assorted, from 5 x 110 mm up to 16 x 210 mm MAK D-21325



SDS-4-Plus

SDS-4-Plus Bits

Our high-quality 4-flute range of SDS-Plus bits

Single Drill Bits

6 x 160 mm MAK B-46523	10 x 210 mm MAK B-47569
8 x 160 mm MAK B-46545	10 x 260 mm MAK B-47575
10 x 160 mm MAK B-46567	12 x 450 mm MAK B-47721
7 x 160 mm MAK B-47444	14 x 260 mm MAK B-47818
8 x 210 mm MAK B-47472	

SDS-4-Plus High-performance Bits

Single Drill Bits

8 x 110 mm MAK P-29343	14 x 450 mm MAK P-30695
9 x 210 mm MAK P-29393	16 x 210 mm MAK P-29620
12 x 210 mm MAK P-29496	16 x 310 mm MAK P-29636

Drill Bit Sets

5/6/8 x 110 mm, 6/8 x 160 mm, in plastic hard case MAK P-29751



SDS-Plus Others

Chisels

Pointed Chisel, 250 mm MAK D-08713
Flat Chisel, 20 x 250 mm MAK D-08729
Scaling Chisel, 40 x 250 mm MAK D-08735

Chuck Adapters

Chuck Adapter, 1/2" MAK D-14093



SDS-Max

SDS-Max Bits

Standard Bits

12 x 340 mm MAK P-17033	14 x 340 mm MAK P-17077
-------------------------	-------------------------

TCT Drill Bits

18 x 340 mm MAK D-33956	22 x 340 mm MAK D-33990
18 x 540 mm MAK D-33962	24 x 540 mm MAK D-34023
20 x 340 mm MAK D-33978	28 x 540 mm MAK D-34051

Zentro Drill Bits

16 x 340 mm MAK P-77730	25 x 320 mm MAK P-77914
16 x 540 mm MAK P-77746	25 x 520 mm MAK P-77920
18 x 340 mm MAK P-77774	28 x 370 mm MAK P-17295
18 x 540 mm MAK P-77780	28 x 570 mm MAK P-77970
20 x 230 mm MAK P-77811	28 x 670 mm MAK P-17310
20 x 520 mm MAK P-77827	30 x 570 mm MAK P-78025
22 x 320 mm MAK P-17217	32 x 370 mm MAK P-17348
22 x 520 mm MAK P-77861	32 x 920 mm MAK P-78053
22 x 920 mm MAK P-77877	38 x 370 mm MAK P-17407
24 x 320 mm MAK P-17245	38 x 570 mm MAK P-17413
24 x 520 mm MAK P-77908	40 x 570 mm MAK P-78162
25 x 290 mm MAK P-17289	40 x 920 mm MAK P-78178

SDS-Max Chisels

Pointed Chisels

300 mm MAK D-34176
400 mm MAK D-34182

Flat Chisels

25 x 400 mm MAK D-34213

Scaling Chisels

50 x 400 mm MAK D-34235



Hex

Hexagonal Chisels

17 mm Chisels (for HM1304)

Pointed Chisel, 410 mm (for HM1304) MAK D-15285

28.6 mm Chisel (for HM1801/02/12)

Flat chisel, 410 mm MAK D-17647
Pointed chisel, 410 mm MAK D-17631
Pointed chisel, self-sharpening MAK B-10372

30 mm Chisel

Flat chisel, 36 x 410 mm MAK D-15300



Bits Impact Drills & Drilling Machines

Cylindrical Drill Bits for Masonry

Drill Bits for Masonry

Single Drill Bits

3 x 60 mm, total length 60 mm MAK D-05228
 4 x 70 mm, total length 70 mm MAK D-05234
 5 x 85 mm, total length 85 mm MAK D-05240
 6 x 100 mm, total length 100 mm MAK D-05256
 6 x 150 mm, total length 150 mm MAK D-05262
 7 x 150 mm, total length 150 mm MAK D-05284
 8 x 110 mm, total length 110 mm MAK D-05290

8 x 150 mm, total length 150 mm MAK D-05309
 9 x 150 mm, total length 150 mm MAK D-05315
 10 x 150 mm, total length 150 mm MAK D-05321
 11 x 150 mm, total length 150 mm MAK D-05337
 12 x 150 mm, total length 150 mm MAK D-05343
 14 x 150 mm, total length 150 mm MAK D-05365
 16 x 150 mm, total length 150 mm MAK D-05387

Drill Bit Sets

4, 5, 6, 8, 10 mm, straight shank MAK D-05175
 13 pieces, in case MAK P-51889M

Metal Drill Bits

HSS-G Metal Drill Bits

DIN 338

3.5 x 70 mm, 10 pieces MAK D-06317
 4 x 75 mm, 10 pieces MAK D-06339
 4.5 x 80 mm, 10 pieces MAK D-06351
 5 x 86 mm, 10 pieces MAK D-06373
 5.5 x 93 mm, 10 pieces MAK D-06395
 6 x 93 mm, 10 pieces MAK D-06410
 6.5 x 101 mm, 10 pieces MAK D-06432
 7 x 109 mm, 10 pieces MAK D-06454
 7.5 x 109 mm, 10 pieces MAK D-06476

8 x 117 mm, 10 pieces MAK D-06498
 8.5 x 117 mm, 5 pieces MAK D-06513
 9 x 125 mm, 5 pieces MAK D-06535
 9.5 x 125 mm, 5 pieces MAK D-06557
 10 x 133 mm, 5 pieces MAK D-06579
 10.5 x 133 mm, 5 pieces MAK D-06591
 12 x 151 mm, 5 pieces MAK D-06622
 12.5 x 151 mm, 5 pieces MAK D-06638
 13 x 151 mm, 5 pieces MAK D-06644

HSS Metal Drill Bits

HSS-Co Metal Drill Bits

2.5 mm, 5 pieces MAK D-16639
 6 x 93 mm, 1 piece MAK D-17382
 8 x 117 mm, 1 piece MAK D-17429
 10 x 133 mm, 1 piece MAK D-17463
 12 x 151 mm, 1 piece MAK D-17500
 13 x 151 mm, 1 piece MAK D-17522

Drill Bits Sets

Drill Bit Sets

HSS-Co Metal, set of 19 pieces, 1–10 mm MAK D-50463
 HSS-Co Metal, set of 25 pieces, 1–13 mm MAK D-54031
 HSS-TiN, titanium plated, set of 19 pieces, 1–10 mm MAK P-30813
 Drill and screwdriver bits, set of 102 pieces, in case MAK P-52037M



Hex Glass and Tile Drill Bits

1/4" Hex Shank

4 x 65 mm MAK D-15942
 6 x 65 mm MAK D-15964
 8 x 70 mm MAK D-15970
 10 x 80 mm MAK D-15986



Hole Saws and Adapters

Drill Point Sashes

Router Bit MAK D-16988

Adapters

Hex shank, 95 mm, for 16–29 mm hole saws MAK D-17170
 11 mm, for 32–152 mm hole saws MAK D-17186

Hole Saws

Bi-metal set, 6 pieces, for plumbers, 19/22/29/38/44/57 mm diameter, pilot drill adaptors, spring, in box MAK D-16938
 Bim, 102 mm MAK D-35570



Pilot Drill Bits

Pilot Drill Bits

HSS-G MAK B-11542
 71 mm, 6.5 mm diameter MAK D-17192
 Adapter+, HSS-G, for 14–152 mm diameters MAK B-11536



Diamond Cutting & Stone Polishing

Diamond Cutting Discs

Are available for all typical applications. We distinguish them by the following characteristics among others:

Segmented



Most commonly used, blade has slits and layers of diamonds are sintered on edges. Cuts faster than continuous rim type and attain average cutting surface

For Ceramic Tiles

105 x 22.23 mm, for dry cutting MAK D-05197

For Concrete

115 x 22.23 mm, for dry cutting MAK D-52750

115 x 22.23/7 mm, for dry cutting MAK D-44270

115 x 22.23 mm, for dry cutting MAK D-44270

180 x 22.23 mm, for dry cutting MAK D-52772

230 x 22.23 mm MAK D-52788

230 x 22.23/7 mm MAK D-44292

For Metal

355 x 25.4 mm MAK D-41414

For Grinding of Concrete

Rough, 125 x 22.23 mm, AVT offset, double-segmented MAK B-48577

Turbo fine, 125 x 22.23 mm, AVT offset, double-segmented MAK B-50005

Diamond wheel, 180 x 22.23 mm MAK B-48642

For Concrete

230 x 22.23 mm MAK D-52788

230 x 22.23/7 mm MAK D-44292

For 5143R and Petrol Driven Machines

Universal use, 350 x 25.4 mm MAK A-87317



Corrugated



This wheel has notches around the rim, cut faster than segmented type, a cleaner surface is being achieved. Characteristics basically between continuous rim and segmented type

Ideal for Concrete

230 x 22.23 x 2.6 mm, ideal for concrete MAK A-84171

Continuous

Has a layer of diamonds with uniform thickness around the entire rim, attains clean surface even on crusty, brittle materials. Cuts accurately but not that fast as a segmented wheel

For Ceramic Tiles

110 x 22.23 mm, for wet cutting (NH4100 series) MAK D-52716



Segmented Wave

Turbo type, segmented with slits, each segment with notches assuring fast cutting, smooth dust removal, less load on wheel

For Concrete & Granite

230 x 22.23/2.8 mm MAK D-44345

Laser Welded

Diamond and plate are laser welded by laser beam of over 1000 °C, ideal with high power (petrol driven) machine, extra strong bonding

For Concrete

350 x 20/25.4 mm MAK D-56998

400 x 20/25.4 mm MAK D-57009



Stone Polishing Pads



For Natural Stone & Concrete

100 x 22.23 mm, grid 200 MAK D-15609



Saw Blades for Wood & Metal

TCT Saw Blades

TCT Saw Blades

For Mild Steel

305 mm, 60 teeth, low noise MAK A-86723

For Aluminium

260 x 25.4 mm, 70 teeth MAK D-03408

260 x 25.4 mm, 100 teeth MAK D-03414

305 x 30 mm, 80 teeth MAK D-16520

For Wood

165 x 20 mm, 48 teeth MAK D-09298

185 x 30 mm, 20 teeth MAK D-09634

185 x 30 mm, 40 teeth MAK D-03919

185 x 30 mm, 40 teeth MAK D-52607

235 x 30 mm, 20 teeth MAK D-52613

235 x 30 mm, 40 teeth MAK D-52629

235 x 30 mm, 48 teeth MAK D-03931

235 x 30 mm, 60 teeth, with reduction ring MAK D-09640

235 x 30 mm, 60 teeth MAK D-52635

255 x 25.4 mm, 48 teeth MAK B-17273

305 x 30 mm, 100 teeth MAK B-09684

305 x 25.4 mm, 100 teeth MAK D-34419

355 x 30 mm, 120 teeth MAK D-16592

255 x 25.4 mm, 60 teeth MAK B-17289

255 x 25.4 mm, 80 teeth MAK B-17295

255 x 30 mm, 40 teeth, for MLS100 MAK B-10338

255 x 30 mm, 80 teeth, with reduction ring 25.4 mm MAK D-34388

305 x 25.4 mm, 100 teeth MAK D-34403

305 x 30 mm, 60 teeth, for mitre saw MAK B-09036



For aluminium



For mild steel



For wood



Jig Saw Blades

Jig Saw Blades

For Wood

4", 8 TPI, basic, T111C, 5 pieces MAK D-34877

4", 6 TPI, fast, T144D, 5 pieces MAK D-34883

For Wood and Plastic

B-11, 5 pieces MAK A-85634

B-13, 5 pieces MAK A-85656

For Steel

B-22, basic, T118A, 5 pieces MAK D-34908

B-22, T118A, 5 pieces MAK A-85737

B-24, T118G, 5 pieces MAK A-85759

B-27, T218A, 5 pieces MAK A-85787

58, T101BR, 5 pieces MAK A-86577

For Wood and Metal

B-25, T127D, 5 pieces MAK A-85765

Universal

B-52, 5 pieces MAK B-06482



Woodworking Accessories

Woodworking

Wood Drill Bits

5 mm diameter MAK D-07048
6 mm diameter MAK D-07054
8 mm diameter MAK D-07076
10 mm diameter MAK D-07098
12 mm diameter MAK D-07107

14 mm diameter MAK D-07113
16 mm diameter MAK D-07129
18 mm diameter MAK D-07135
20 mm diameter MAK D-07141



Auger Bits

6 x 250 mm MAK D-07331
10 x 250 mm MAK D-07353
12 x 250 mm MAK D-07369
14 x 250 mm MAK D-07375
16 x 250 mm MAK D-07381
18 x 250 mm MAK D-07397
20 x 250 mm MAK D-07406

10 x 450 mm MAK D-07565
12 x 450 mm MAK D-07571
14 x 450 mm MAK D-07587
16 x 450 mm MAK D-07593
18 x 450 mm MAK D-07602
20 x 450 mm MAK D-07618
22 x 450 mm MAK D-07624



Abrasive Paper

115 x 280 mm, WA100, no holes, set of 10 MAK P-32982
115 x 280 mm, WA60, with holes, set of 10 MAK P-33015
115 x 280 mm, WA180, no holes, set of 10 MAK P-36295
100 x 610 mm, WA40, set of 5 MAK P-36887
100 x 610 mm, WA60, set of 5 MAK P-36893

100 x 610 mm, WA80, set of 5 MAK P-36902
100 x 610 mm, WA100, set of 5 MAK P-36918
100 x 610 mm, WA120, set of 5 MAK P-36924
100 x 610 mm, WA150, set of 5 MAK P-36930
100 x 610 mm, WA240, set of 5 MAK P-36946

Abrasive Discs

125 mm, WA60, set of 10 MAK P-43549
125 mm, WA100, set of 10 MAK P-43561
125 mm, WA120, set of 10 MAK P-43577



Abrasive Belts

100 x 610 mm, WA40, set of 5 MAK 794133-8
100 x 610 mm, WA60, set of 5 MAK 794134-6
100 x 610 mm, WA80, set of 5 MAK 794135-4
100 x 610 mm, WA100, set of 5 MAK 794136-2

Abrasive Discs

125 mm, WA60, set of 10 MAK 794542-1
125 mm, WA80, set of 10 MAK 794543-9
125 mm, WA120, set of 10 MAK 794544-7

Abrasive Paper

115 x 232 mm, WA60, set of 5 MAK A-14130
115 x 232 mm, WA80, set of 5 MAK A-14146
115 x 232 mm, WA100, set of 5 MAK A-14152
115 x 232 mm, WA120, set of 5 MAK A-14168



Router Bits

Straight Router Bits

6 mm, straight, for wood MAK D-09248
8 mm, straight, for wood MAK D-13948
19 mm, straight, 1 flute MAK D-47400
Bit set, 8 mm, 6 pieces MAK D-53540
Bit set, 1/4", 4 pieces MAK P-24876M



Board Joining Bits

12 mm, WA12 MAK D-12027

Round Nose Bits

9.5 mm, 8 mm diameter, 2 flutes MAK D-47846

V-Groove Bits

12.7 mm, 8 mm diameter, 2 flutes MAK D-47896
12.7 mm, 12 mm diameter, 2 flutes MAK D-47911

Reversible Glue Joint Bits

a1: 41.3 mm, 12 mm diameter, 2 flutes, straight MAK D-48929

Tongue and Groove Assembly

a1: 41 mm, 12 mm diameter, 4 flutes,
24 mm bearing size MAK D-48935



Router Bit Sets

6 mm, 12 pieces MAK A-87921
8 mm, 12 pieces MAK A-88054



Others

Dust Bags

For model 9402 MAK D-122297-2

Pads for Sanders

For B04900 MAK 193521-0
123 mm diameter, velcro system MAK 743081-8

Magnetic Connect Bit

6.35–60 mm MAK 784811-8

Planer Blade

Mini planer blade, 2 pieces MAK D-07945



System Accessories

System Accessories

Drill Chuck Set

13 mm MAK 195081-8

Dust Collection Wheel Guards for Angle Grinders

115 x 125 mm MAK 195250-1

180 x 230 mm MAK 195384-0

180 x 230 mm MAK 195388-2

Magnetic Bit Holder

6.35–76 mm MAK 784801-1

Others

Wheel point, 8 mm, shank 3 mm, for GD0800C/906H, set of 10 MAK 794052-8

Drill & screwdriver bit set, 102 pieces, in case MAK P-52037M

Drill point sash router bit MAK D-16988

Hex shank adapter, 95 mm, for 16–29 mm diameter hole saws MAK D-17170

Adapter, 11 mm, for 32–152 mm diameter hole saws MAK D-17186

Pilot drill, 71 mm, 6.5 mm diameter MAK D-17192





CONTACT US

We offer our best pre- and after-sales service to you!

Whenever you initiate your new project – involve us in the initial stage! Once we know your requirements, we shall provide you with our advice and the right selection of tools and accessories. You will save time and money by using the right tool for your application and – we are absolutely sure – you will enjoy working with **MAKITA** tools and accessories!

In the unlikely event that you encounter a malfunctioning of a **MAKITA** tool sold by us we of course offer our warranty against manufacturers' fault according to our standard conditions (available on request).

We are always at your side – when it comes to the servicing of your rotary hammers, exchange of wear and tear parts as carbon brushes or repairs of a defective machine – we are here to assist you in keeping your project running!

CONTACT US – YOU WILL NOT REGRET IT!

#161001

The information contained in this brochure was compiled with great care and to our best knowledge; nevertheless there might be some errors left in the document.

